



ROLEC

PRODUCT CATALOGUE

OUTDOOR UTILITY PRODUCTS FOR THE ELECTRICAL CONTRACTING INDUSTRY

ELECTRIC VEHICLE
CHARGING

SWITCHGEAR
& METERS

CARAVAN
HOOK-UPS

PLUGS, COUPLERS,
SOCKETS & INLETS

OUTDOOR POWER
SOLUTIONS

MARINA UTILITY
PRODUCTS



INNOVATION

Our company mission statement of Quality, Reliability and Innovation, applies to all of our divisions, with many of the world's leading companies relying on our innovative products and services.



SOURCING

Extensive travel, investigation and due-diligence goes in to choosing our supply chain, which ensures our products are produced with quality components to the highest of standards.



STOCK

Our specially built warehouse and stores house over 2 million pounds worth of electrical, water and lighting component stock at any one time.

Rolec Services Ltd has been manufacturing electrical equipment for nearly three decades - and remains committed to a programme of continuous development, investment and innovation to ensure the provision of high quality and reliable products at competitive prices.

An award winning company, Rolec Services maintains its position as one of the world's leading specialists in the design and manufacture of outdoor electrical connection, charging, hook-up and distribution equipment.

Established in 1990, Rolec presently employs approximately 125 personnel in its bespoke, purpose-built office, showroom, warehouse and factory complex - in addition to having a distribution network of representatives in over 40 countries.

Rolec Services' wide range of over 2,000 products is still the largest and most extensive of its kind in the electrical industry.

ROLEC

www.rolecserv.com



MANUFACTURING

We manufacture a broad range of high quality outdoor electrical equipment suitable for numerous industries in our purpose built factory in the UK.



TESTING

All products are tested and inspected to meet UK and European standards. We assign a unique serial number to each product to guarantee clients the confidence of traceability and accountability.



CUSTOMER SERVICE

On the rare occasion our Returns Policy is utilised we ask that the product is sent back to us so we can carry out a full investigation.

INSTALLATION OPPORTUNITIES

The 4 x electrical industries that Rolec primarily operate in, i.e. caravan parks, marinas, electrical power solutions and electric vehicle charging, offer the electrical contractor (in association with Rolec Services) excellent business opportunities.

Rolec is always looking for professionally managed electrical contractors to work closely with us on many of the projects we are involved in, or manage, nationwide.

For more details about working with Rolec please contact Rolec Services directly or ask in any electrical wholesaler branch throughout the UK.



ROLEC SPONSORED EV CHARGE POINT TRAINING COURSES

As the UK's leading manufacturer of electric vehicle (EV) charging points and offering Europe's largest and most comprehensive product range, Rolec now sponsor over 30 specialist EV charge point training courses.

These training courses are operated throughout the UK and provide an introduction to the EV and EV charge point industries.

There are a variety of one day and two day courses available provided by the UK's leading training course operators, including City and Guilds, the NICEIC, NAPIT, Trade Skills 4 U, Waxman Energy, Logic 4 Training, DCET Focus Training, etc.

These courses, as well as providing general information relating to the EV industry, also provide hands on practical training on the Rolec range of charging points, as well as installation guidance and regulation advice.

For more details, please contact Rolec Services directly or ask in any electrical wholesaler branch.



ELECTRIC VEHICLE CHARGING

Rolec manufacture Europe's largest and most diverse range of electric vehicle charging solutions.

The demand for electric vehicle charging points continues to increase at a dramatic rate. Rolec EV manufactures Europe's largest and most diverse range of electric vehicle charging solutions and has to date manufactured and supplied over 95,000 charging points to the electrical industry.

Rolec EV's entire product range is compatible with all current EVs and PHEVs and has been tested, certificated and approved by many of the world's leading vehicle manufacturers including Renault, Nissan, Mitsubishi, Kia and Hyundai amongst others.

Our EV charge points are ideal for the home, workplace, commercial and public facing EV charging – with grant funding available for many locations (contact us for further details).

We also offer EV Charge Online - the revolutionary public facing EV charge point management system which enables all EV drivers to simply pull up to a charge point and, using their mobile phone, tablet or in-car connectivity, login to the charge point and pay on the spot for its use. EV drivers do not have to commit to joining any specific network - therefore avoiding unnecessary fees and connection charges. Hosts do not have to pay license fees and can have a charge point (new revenue stream) installed and operational quickly and easily, just by providing an electricity supply.

If you wish to learn more about our EV charging products, or the EV industry in general, please contact us. We also offer training programmes which explain how to become an installer of the Rolec EV product range.

EV charging equipment ideal for:

Home
Workplace
Public

OLEV Grant Funded EV Charge Points

The Office of Low Emission Vehicles (OLEV) are proactively supporting the deployment of EV charge points across the UK by providing millions of pounds worth of grant funding.

To become an official OLEV/Rolec approved installer you will need to attend one of the Rolec sponsored training courses and, with the support and guidance of Rolec, gain OLEV approval.



WallPod:EV HomeSmart

This Mode 3 smart charging wall unit has been designed to provide the user with an interactive EV charging solution for the home. The EV driver can control the charging activity of the WallPod using their mobile phone or any other web enabled device.

WallPod:EV HomeSmart can also monitor and record all charging activity and history as well as provide information relating to total electric miles and CO² savings.

The WallPod unit is available in either Type1 or Type2 tethered lead or Type2 charging socket at 3.6kW (16amp) or 7.2kW (32amp) charging speeds and comes with the option of either GPRS or Ethernet back office connectivity.



The WallPod:EV HomeSmart Charging Unit - is part of the award winning, industry leading WallPod range and comes with built-in modem, Mode 3 controller, MID approved kWh meter, overload and fault current protection, electrical contactor and GPRS or Ethernet connectivity.

PRODUCT CODES

- EVHS2010 – 3.6kW (16amp) Type 2 socket (GPRS Connectivity)
- EVHS2020 – 7.2kW (32amp) Type 2 socket (GPRS Connectivity)
- EVHS2011 – 3.6kW (16amp) Type 2 socket (Ethernet Connectivity)
- EVHS2021 – 7.2kW (32amp) Type 2 socket (Ethernet Connectivity)
- EVHS1080 – 3.6kW (16amp) Type 1 tethered cable (GPRS Connectivity)
- EVHS1140 – 7.2kW (32amp) Type 1 tethered cable (GPRS Connectivity)
- EVHS2080 – 3.6kW (16amp) Type 2 tethered cable (GPRS Connectivity)
- EVHS2140 – 7.2kW (32amp) Type 2 tethered cable (GPRS Connectivity)
- EVHS1081 – 3.6kW (16amp) Type 1 tethered cable (Ethernet Connectivity)
- EVHS1141 – 7.2kW (32amp) Type 1 tethered cable (Ethernet Connectivity)
- EVHS2081 – 3.6kW (16amp) Type 2 tethered cable (Ethernet Connectivity)
- EVHS2141 – 7.2kW (32amp) Type 2 tethered cable (Ethernet Connectivity)

Hundreds more products available at www.rolecserv.com

SYSTEM FEATURES:

-  Start/Stop Charging
-  Variable Charging Speeds (Amps)
-  Unit Charging Status
-  Charging Analytics
 -  Total kWh Used & Total Cost of Charging
 -  Total Electric Miles Travelled & Money Saved
 -  KG of CO² Saved
 -  Charging Events & Activity

The Next Generation of Home EV Charging Points.



Hundreds more products available at www.rolecserv.com

WallPod:EV - Socket

This low-cost, entry level Type 2 socket charging unit is designed to offer full Mode 3 fast charging to every Electric Vehicle (EV/PHEV) on the market today.

This charging unit has been specifically designed for domestic and commercial locations including offices, factories, restaurants, hotels, sports venues, etc.

WallPod:EV SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVWP2010 – 3.6kW (16amp) Type 2 socket
- EVWP2020 – 7.2kW (32amp) Type 2 socket
- EVWP2016 – 3.6kW (16amp) Type 2 socket c/w hatchlock
- EVWP2026 – 7.2kW (32amp) Type 2 socket c/w hatchlock
- EVWP2036 – 11kW (16amp) Type 2 socket
- EVWP2046 – 22kW (32amp) Type 2 socket

WallPod:EV - Tethered Lead

This low-cost, entry level tethered charging unit is designed to offer full Mode 3 fast charging to every Electric Vehicle (EV/PHEV) on the market today and is available with either a Type 1 or Type 2 tethered cable.

This charging unit has been specifically designed for domestic and commercial locations including offices, factories, restaurants, hotels, sports venues, etc.

WallPod:EV SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVWP1080 – 3.6kW (16amp) Type 1 tethered cable
- EVWP1140 – 7.2kW (32amp) Type 1 tethered cable
- EVWP2080 – 3.6kW (16amp) Type 2 tethered cable
- EVWP2140 – 7.2kW (32amp) Type 2 tethered cable
- EVWP2096 – 11kW (16amp) Type 2 tethered cable
- EVWP2156 – 22kW (32amp) Type 2 tethered cable

WallPod:EV MultiMode

This low-cost, entry level home charging unit is designed to offer full Mode 3 fast charging via Type 1 or Type 2 tethered lead to every Electric Vehicle (EV/PHEV) on the market today.

This unique charging unit also provides an IP65 weather protected 13amp domestic socket, ideal for home/garden maintenance.



PRODUCT CODES

- EVMM0010 – 3.6kW (16amp) Type 1 tethered cable
- EVMM0020 – 7.2kW (32amp) Type 1 tethered cable
- EVMM0030 – 3.6kW (16amp) Type 2 tethered cable
- EVMM0040 – 7.2kW (32amp) Type 2 tethered cable

WallPod:EV Ready

WallPod:EV Ready is a low cost unit complete with a IP65 weather protected 13amp domestic socket which doubles up as both an outdoor home/garden maintenance socket and Mode 2 EV charging point.

This unit is ideal for installation on new residential home builds and has been designed to be easily upgraded to full Mode 3 fast charging in the future.



PRODUCT CODE

- EVWP0020 – 13amp (up to 2kW) domestic socket

SecuriCharge:EV

This heavy duty, hard wearing, vandal resistant wall mounted EV charging unit is specifically designed and manufactured for public facing and exposed locations.

Available in both 1way and 2way versions c/w hatchlocks and built-in overload & fault current protection. This discreet wall unit's Type 2, Mode 3 charging socket(s) are securely locked away when not in use.

SecuriCharge:EV SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVSC0010 – 3.6kW (16amp) Type 2 socket
- EVSC0020 – 7.2kW (32amp) Type 2 socket
- EVSC0050 – 2 x 3.6kW (16amp) Type 2 sockets
- EVSC0060 – 2 x 7.2kW (32amp) Type 2 sockets
- EVSC0030 – 11kW, 3 phase (16amp) Type 2 socket
- EVSC0040 – 22kW, 3 phase (32amp) Type 2 socket
- EVSC0200 – 2 x 11kW (16amp) Type 2 sockets XL Enclosure
- EVSC0210 – 2 x 22kW (32amp) Type 2 sockets XL Enclosure

Hundreds more products available at www.rolecserv.com

SecuriCharge:EV Token Mech (PAYG)

This heavy duty, hard wearing, vandal resistant wall mounted EV charging unit is specifically designed and manufactured for public facing and exposed locations, offering a simple pay-to-charge solution via its token payment system. Available in both 1way and 2way versions c/w hatchlocks and built-in overload & fault current protection. This discreet wall unit's Type 2, Mode 3 charging socket(s) are securely locked away when not in use. SecuriCharge:EV Token Mech SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVSC0070 – 3.6kW (16amp) Type 2 socket c/w Token Mech
- EVSC0080 – 7.2kW (32amp) Type 2 socket c/w Token Mech
- EVSC0220 – 2 x 3.6kW (16amp) Type 2 sockets c/w Token Mech XL Enclosure
- EVSC0230 – 2 x 7.2kW (32amp) Type 2 sockets c/w Token Mech XL Enclosure
- EVSC0090 – 11kW (16amp) Type 2 socket c/w Token Mech
- EVSC0100 – 22kW (32amp) Type 2 socket c/w Token Mech
- EVSC0240 – 2 x 11kW (16amp) Type 2 sockets c/w Token Mech XL Enclosure
- EVSC0250 – 2 x 22kW (32amp) Type 2 sockets c/w Token Mech XL Enclosure

Hundreds more products available at www.rolecserv.com

25kW DC Wallbox Rapid Charger

The 25kW DC Wallbox rapid charging unit is a compact yet powerful entry level, cost effective rapid charging option for people on the move.

Ideal for both public facing and private use this robust wall mounted unit is available in a number of different charging and management configurations including:

- Single charging option – 1 x CCS Combo
- Single charging option – 1 x CHAdeMO
- Dual charging option – 1 x CCS Combo / 1 x CHAdeMO



The 25kW DC Wallbox rapid charger has a number of management options including:

Free-to-use, key switch control, RFID Smartcard control and the Rolec EV Charge.Online pay by mobile phone solution.

PRODUCT CODES

- EVDC0010 – 1 x CCS Combo / Free-To-Use
- EVDC0020 – 1 x CHAdeMO / Free-To-Use
- EVDC0030 – 1 x CCS Combo / 1 x CHAdeMO / Free-To-Use

Hundreds more products available at www.rolecserv.com

25kW DC Wallbox Ground Mounting Stand

The 25kW DC Wallbox rapid charger has been traditionally designed to mount directly onto a wall.

However, there may be circumstances where a wall is not available and to accommodate this we have designed a mounting stand that can be fixed to the ground and support both the Wallbox and the supply cable.



PRODUCT CODES

- EVDC0040 – Ground Mounting Stand

Hundreds more products available at www.rolecserv.com

BasicCharge:EV

This pedestal is the brother to Rolec's world-leading Classic utility pedestal, which now boasts well over 150,000 units sold worldwide.

This mass produced, tried and tested pedestal is, we believe, the most affordable and adaptable EV charging pedestal in the world.

This versatile pedestal offers either 1way or 2way Type 2, Mode 3 fast charging socket(s), c/w hatchlock, built-in overload & fault current protection, and LED illumination.

BasicCharge:EV SuperFast 3 phase (11kW/22kW) versions also available.



BasicCharge:EV Token Mech (PAYG)

This pedestal is the brother to Rolec's world-leading Classic utility pedestal, which now boasts well over 150,000 units sold worldwide.

This versatile 1way pedestal offers a simple pay-to-charge solution via its token payment system. It also features Type 2, Mode 3 fast charging socket(s), c/w hatchlock, built-in overload & fault current protection, and LED illumination.

BasicCharge:EV Token Mech SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVCL2005 – 3.6kW (16amp) Type 2 socket
- EVCL2006 – 7.2kW (32amp) Type 2 socket
- EVCL2015 – 2 x 3.6kW (16amp) Type 2 sockets
- EVCL2016 – 2 x 7.2kW (32amp) Type 2 sockets
- EVCL2007 – 11kW (16amp) Type 2 socket
- EVCL2008 – 22kW (32amp) Type 2 socket
- EVCL2017 – 2 x 11kW (16amp) Type 2 sockets
- EVCL2018 – 2 x 22kW (32amp) Type 2 sockets

PRODUCT CODES

- EVTM0110 – 3.6kW (16amp) Type 2 socket c/w Token Mech
- EVTM0111 – 7.2kW (32amp) Type 2 socket c/w Token Mech
- EVTM0112 – 11kW (16amp) Type 2 socket c/w Token Mech
- EVTM0113 – 22kW (32amp) Type 2 socket c/w Token Mech

Hundreds more products available at www.rolec.com

Quantum:EV

Quantum:EV offers a unique blend of quality and value, and has been specifically designed to add style and flair to the EV charging industry. This versatile pedestal offers either 1way or 2way Type 2, Mode 3 fast charging socket(s), c/w hatchlock, built-in overload & fault current protection and unique LED louvered amenity lighting to safely guide EV drivers to their charging point during hours of darkness. Ideal locations include offices, factories, private car parks, schools, depots and many more.

Quantum:EV SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVQR0110 – 3.6kW (16amp) Type 2 socket
- EVQR0111 – 7.2kW (32amp) Type 2 socket
- EVQR0120 – 2 x 3.6kW (16amp) Type 2 sockets
- EVQR0121 – 2 x 7.2kW (32amp) Type 2 sockets
- EVQR0112 – 11kW (16amp) Type 2 socket
- EVQR0113 – 22kW (32amp) Type 2 socket
- EVQR0122 – 2 x 11kW (16amp) Type 2 sockets
- EVQR0123 – 2 x 22kW (32amp) Type 2 sockets

Hundreds more products available at www.rolec.com

Quantum:EV Token Mech (PAYG)

Quantum:EV Token Mech offers a unique blend of quality and value, and has been specifically designed to add style and flair to the EV charging industry. This versatile pedestal offers a simple pay-to-charge solution via its token payment system, available with either 1way or 2way Type 2, Mode 3 fast charging socket(s), c/w hatchlock, built-in overload & fault current protection and unique LED louvered amenity lighting to safely guide EV drivers to their charging point during hours of darkness.

Quantum:EV Token Mech SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVTM0210 – 3.6kW (16amp) Type 2 socket c/w Token Mech
- EVTM0211 – 7.2kW (32amp) Type 2 socket c/w Token Mech
- EVTM0220 – 2 x 3.6kW (16amp) Type 2 sockets c/w Token Mech
- EVTM0221 – 2 x 7.2kW (32amp) Type 2 sockets c/w Token Mech
- EVTM0212 – 3.6kW (16amp) Type 2 socket c/w Token Mech
- EVTM0213 – 7.2kW (32amp) Type 2 socket c/w Token Mech
- EVTM0222 – 2 x 3.6kW (16amp) Type 2 sockets c/w Token Mech
- EVTM0223 – 2 x 7.2kW (32amp) Type 2 sockets c/w Token Mech

AutoCharge:EV

This heavy duty, hard wearing EV charging pedestal has been specifically designed and manufactured for both commercial and public facing environments.

This versatile, future-proof pedestal is available in both 1way and 2way versions c/w hatchlock, built-in overload & fault current protection and offers Type 2, Mode 3 fast charging socket(s).

Optional key switch and kWh metering available.

AutoCharge:EV SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVPG0010 – 3.6kW (16amp) Type 2 socket
- EVPG0011 – 7.2kW (32amp) Type 2 socket
- EVPG0020 – 2 x 3.6kW (16amp) Type 2 sockets
- EVPG0021 – 2 x 7.2kW (32amp) Type 2 sockets
- EVPG0012 – 11kW, 3 phase (16amp) Type 2 socket
- EVPG0013 – 22kW, 3 phase (32amp) Type 2 socket
- EVPG0022 – 2 x 11kW, 3 phase (16amp) Type 2 sockets
- EVPG0023 – 2 x 22kW, 3 phase (32amp) Type 2 sockets

Hundreds more products available at www.rolecserv.com

AutoCharge:EV Token Mech (PAYG)

This heavy duty, hard wearing EV charging pedestal has been specifically designed and manufactured for both commercial and public facing environments.

This versatile future proof pedestal offers a simple pay-to-charge solution via its token payment system and is available with either 1Way or 2Way Type 2, Mode 3 fast charging socket(s) c/w hatchlock, built in overload & fault current protection.

AutoCharge:EV Token Mech SuperFast 3 phase (11kW/22kW) versions also available.



PRODUCT CODES

- EVTM0010 – 3.6kW (16amp) Type 2 socket c/w Token Mech
- EVTM0011 – 7.2kW (32amp) Type 2 socket c/w Token Mech
- EVTM0020 – 2 x 3.6kW (16amp) Type 2 sockets c/w Token Mech
- EVTM0021 – 2 x 7.2kW (32amp) Type 2 sockets c/w Token Mech
- EVTM0012 – 11kW (16amp) Type 2 socket c/w Token Mech
- EVTM0013 – 22kW (32amp) Type 2 socket c/w Token Mech
- EVTM0022 – 2 x 11kW (16amp) Type 2 sockets c/w Token Mech
- EVTM0023 – 2 x 22kW (32amp) Type 2 sockets c/w Token Mech

Hundreds more products available at www.rolecserv.com

50kW, 75kW, 100kW, 125kW & 150kW DC Ultrafast Charger (UFC)

The Ultrafast (UFC) DC rapid charging station has been designed to offer a future proof solution to the DC rapid charging industry in an investment friendly package.

Investing in a UFC provides you with the confidence that your DC rapid charger will not only charge the EVs of today, but also has the capacity to be upgraded on site for the EVs of tomorrow.

Looking and operating like a traditional fuel pump, it is simple and intuitive to use with a modular design that can be easily upgraded as and when required from the 50kW base model through to the maximum 150kW, 6-in-1 charging package.

Some Of UFC's Unique Selling Points

- **Can be configured for up to 6 charging points including:**
 - CHAdeMO DC charging gun
 - CCS Combo DC charging gun
 - 43kW AC charging gun
 - 3.6kW/7.2kW/11kW/22kW AC charging socket
- **Built to your individual requirements**
- **Can dynamically charge up to 4 vehicles simultaneously**
- **Single or dual sided charging arrangements**
- **Wheelchair accessible control panel**
- **Designed to cope with all British weather conditions**
- **Installation/maintenance and SLAs available**

For more details contact Rolec Services.



Hundreds more products available at www.rolecserv.com

StreetServ:EV

The Ideal On-Street EV Charging Solution

This EV Charging Post is a robust, hard-wearing and vandal resistant EV charging solution, specifically designed for high risk, susceptible, public locations such as high streets, marketplaces, car parks and sports stadiums.

This post features a Type 2, Mode 3 fast charging socket, c/w hatchlock, built-in overload & fault current protection, and 13A maintenance socket, which can be safely locked away while in use behind its heavy-duty steel access door.

This post is also ideal for private on-street charging applications where security and safety is paramount.



PRODUCT CODES

- EVSS0030 – 3.6kW (16amp) Type 2 socket plus 13amp socket
- EVSS0040 – 7.2kW (32amp) Type 2 socket plus 13amp socket

Hundreds more products available at www.rolecserv.com

CubiCharge:EV

CubiCharge:EV has been designed to provide temporary Mode 3, Type 2 electric vehicle charging points in 1way, 2way, 3way and 4way formats. It provides 3.6kW (16amp) and/or 7.2kW (32amp) socket(s) to any location.

Ideal for car showrooms, service centres, electric vehicle launches, promotional events, temporary EV parking areas, exhibitions, shows, etc.

Ask us about our available hiring options.



PRODUCT CODES

- EVCC0010 – 32amp, single phase inlet / 7.2kW (32amp) socket
- EVCC0020 – 63amp, single phase inlet / 2 x 7.2kW (32amp) sockets
- EVCC0030 – 32amp, 3 phase inlet / 3 x 7.2kW (32amp) sockets
- EVCC0050 – 63amp, 3 phase inlet / 2 x 7.2kW (32amp) 3 phase sockets

ChargeCheck:EV

This unit has been designed to provide every electrician with the ability to confidently carry out a comprehensive and accurate test of EV Fast Charging stations.

This unique unit is designed to carry out a full range of tests on most 3.6kW (16A) and 7.2kW (32A) single phase, Mode 3, J1772 (Type 1) and IEC 62196 (Type 2) EV charging points.

As well as the standard electrical testing, EV ChargeCheck also allows you to test the Mode 3 communication unit by simulating the communication protocol of an electric vehicle.



PRODUCT CODE

- EVTU0018 – 1 x ChargeCheck:EV c/w adapter cable & carry bag

Hundreds more products available at www.rolecserv.com

StreetCharge:EV V1

StreetCharge:EV V1 has been designed and developed as a new to install LED street light and EV charging point combination.

This product comes complete with a highway specification street light column, LED street light head, fused electrical cut out and full Type 2 Mode 3 EV charging capability.

StreetCharge:EV V1 is available in 3 charging management formats including free-to-charge, key switch control to charge, or EV Charge.Online - which enables EV drivers to pay to charge via their mobile phone.

Ideal for both private and public facing EV charging.



PRODUCT CODES

- EVST0010 – 3.6kW (16amp) Type 2 socket / Free-To-Use
- EVST0020 – 7.2kW (32amp) Type 2 socket / Free-To-Use
- EVST0030 – 3.6kW (16amp) Type 2 socket / Key Switch Control
- EVST0040 – 7.2kW (32amp) Type 2 socket / Key Switch Control
- EVCO0700 – 3.6kW (16amp) Type 2 socket / EV Charge Online - Pay-To-Charge using your mobile phone (GPRS Connectivity)
- EVCO0701 – 7.2kW (32amp) Type 2 socket / EV Charge Online - Pay-To-Charge using your mobile phone (GPRS Connectivity)

Hundreds more products available at www.rolcserv.com

StreetCharge:EV V2

StreetCharge:EV V2 has been designed as a retrofit EV charging unit that can convert an existing street light into a street light/EV charging combination within 2 hours.

StreetCharge:EV V2 is available in 3 charging management formats including free-to-charge, key switch control to charge or EV Charge.Online - which enables EV drivers to pay to charge via their mobile phone.

Ideal for both private and public facing EV charging.



PRODUCT CODES

- EVV20010 – 3.6kW (16amp) Type 2 socket / Free-To-Use
- EVV20020 – 7.2kW (32amp) Type 2 socket / Free-To-Use
- EVV20030 – 3.6kW (16amp) Type 2 socket / Key Switch Control
- EVV20040 – 7.2kW (32amp) Type 2 socket / Key Switch Control
- EVCO0500 – 3.6kW (16amp) Type 2 socket / EV Charge Online - Pay-To-Charge using your mobile phone (GPRS Connectivity)
- EVCO0501 – 7.2kW (32amp) Type 2 socket / EV Charge Online - Pay-To-Charge using your mobile phone (GPRS Connectivity)

Hundreds more products available at www.rolcserv.com

Pedestal Ground Mounting Bases

Rolec's low cost root mounting bases are manufactured in hot dipped galvanised steel and provide the ideal solution for the strong stable mounting of our EV pedestal range.



PRODUCT CODES

- GMCP0010 – BasicCharge:EV Galvanised Steel Ground Mounting Base
- GMQR0010 – Quantum:EV Galvanised Steel Ground Mounting Base
- GMPG0010 – AutoCharge:EV Galvanised Steel Ground Mounting Base
- GMSS0010 – StreetServ:EV Galvanised Steel Ground Mounting Base



Protection Barriers

Galvanised steel powder coated charging pedestal protection barriers. Black as standard, bespoke colour options available.

PRODUCT CODES

- EVCB0020 – Root mount protection barrier (48mm)
- EVCB0040 – Surface bolted protection barrier (48mm)

Hundreds more products available at www.rolecserv.com

Signs

Highlight your EV charging station facility with one of our aluminium screen printed EV charging station signs.

PRODUCT CODES

- EVPS0030 – Aluminium EV A3 landscape parking sign
- EVPS0010 – Aluminium EV A4 landscape parking sign
- EVPS0020 – Aluminium EV A5 landscape parking sign



EV Charging Cables

Rolec EV holds the UK's largest stocks and widest range of EV charging cables and accessories to suit every EV and PHEV on the market today, including:

- Plug to plug mode 3 charging cables
- Tethered leads
- Portable mode 2 charging cables
- Adapters & conversion leads
- Charging cable carry bags

“Ask about our corporate volume rates”



PRODUCT CODES

- EVPP0140 – 5m 16A Type 1 to Type 2
- EVPP0160 – 5m 32A Type 1 to Type 2
- EVPP0163 – 10m 32A Type 1 to Type 2
- EVPP0080 – 5m 16A Type 2 to Type 2
- EVPP0100 – 5m 32A Type 2 to Type 2
- EVPP0107 – 10m 32A Type 2 to Type 2
- EVPP0105 – 5m 32A 3P Type 2 to Type 2

We also supply a wide range of EV charging unit spares and accessories.

Hundreds more products available at www.rolecserv.com

EV Charge Point Branding

Rolec offers bespoke colour and branding options across the majority of its EV charge point range.

These custom options are ideal for corporate branding, colours and logos.



Brand names, logos and trademarks used herein remain the property of their respective owners. This listing of any firm or their logos is not intended to imply any endorsement or direct affiliation with Rolec Services Ltd, and is purely to demonstrate branding opportunities

EV CHARGE.ONLINE – Revolutionising Electric Vehicle Charging

Rolec's EV Charge.Online system has been designed and developed to enable each and every EV driver to simply pull up to a charge point, and using their mobile phone, tablet or in-car connectivity, log-in to the charge point and pay-as-you-charge for its use.

The EV Charge.Online system has been designed with both the EV/PHEV driver and the network operator in mind, and is therefore not subject to the traditional charging network providers' business models, avoiding unnecessary extra charges, such as Annual Membership Fees/Monthly Subscription Fees/Connection Fees/Licence Fees/etc.

With EV Charge.Online there are no additional hidden fees, the EV driver simply pays for the charge advertised.

EV Charge.Online is easily and quickly installed, in most cases only requiring live, neutral and earth and a reasonable mobile phone signal.

The Charging Network Open to Every EV Driver

- No Driver Annual Membership Fees
- No Driver Monthly Subscription Fees
- No Driver Connection Fees
- No Host Licence Fees

Load Manager (Optional)

Electricity load management is an optional advanced software feature that can be applied to the EV Charge Online system.

It has been developed as an electricity load management solution for locations requiring multiple EV charging points where the charging points have a higher collective load potential than the electricity supply available to them.

EV Charge.Online EV charging points that can pay for themselves in less than 12 months!



The EV Driver



Payment Clearance and Authorisation



Operator Management

- Charge Point Activity Report
- Charge Point Generated Funds Bank Transferred to Operator
- Benefit-in-Kind Feedback



Hundreds more products available at www.rolecserv.com

GroupManager:EV

The private networked EV charging system.

GroupManager:EV allows you to have full control and visibility of your charging network and its charging activity, whether it be a small network with just a few charging points or a large network covering many charging points across several sites.

Ideal for EV fleet management.

Via secure GPRS or Ethernet, you can control and monitor your charging network and activity, allowing charging via pre-authorised RFID cards or fobs.

SuperFast 11kW & 22kW 3 phase versions also available.



RFID Card



RFID Key Fob



Load Manager

Electricity load management is an optional advanced software feature that can be applied to the GroupManager:EV system.

It has been developed as an electricity load management solution for locations requiring multiple EV charging points where the charging points have a higher collective load potential than the electricity supply available to them.

PRODUCT CODES

- EVGM0020 – AutoCharge:EV 2 x 3.6kW (16amp) Type 2 sockets / GPRS metered (Ethernet version EVGM0024)
- EVGM0021 – AutoCharge:EV 2 x 7.2kW (32amp) Type 2 sockets / GPRS metered (Ethernet version EVGM0025)
- EVGM0120 – SecuriCharge:EV 2 x 3.6kW (16amp) Type 2 sockets / GPRS metered (Ethernet version EVGM0124)
- EVGM0121 – SecuriCharge:EV 2 x 7.2kW (32amp) Type 2 sockets / GPRS metered (Ethernet version EVGM0124)
- EVGM0220 – Quantum:EV 2 x 3.6kW (16amp) Type 2 sockets / GPRS metered (Ethernet version EVGM0224)
- EVGM0221 – Quantum:EV 2 x 7.2kW (32amp) Type 2 sockets / GPRS metered (Ethernet version EVGM0225)

ControlCentre:EV

The ControlCentre:EV has been designed to centrally manage localised multiple EV charging points from a single control panel.

This versatile system allows up to 18 x EV charging points/bays to be managed from the control panel, offering either free-to-use or pay-to-charge options.

This system has been specially designed to be similar in operation to a car park ticket machine. The driver simply parks in the EV charge point parking bay and then, via the ControlCentre, initiates the electric vehicle charging procedure.



Ideal for single level, multi-level and underground car parks.

Control Options:



RFID Card



RFID Key Fob



Token PAYG



Mobile PAYG

PRODUCT CODES

- EVPC0010 – 6way Free-To-Use
- EVPC0020 – 12way Free-To-Use
- EVPC0030 – 18way Free-To-Use
- EVPC0040 – 6way c/w Key Switch Control
- EVPC0050 – 12way c/w Key Switch Control
- EVPC0060 – 18way c/w Key Switch Control
- EVPC0070 – 6way c/w Token Mech
- EVPC0080 – 12way c/w Token Mech
- EVPC0090 – 18way c/w Token Mech
- EVPC0100 – 6way Group Manager GPRS (Ethernet version EVPC0101)
- EVPC0110 – 12way Group Manager GPRS (Ethernet version EVPC0111)
- EVPC0120 – 18way Group Manager GPRS (Ethernet version EVPC0121)

UltraSmart EV

The EV charging industry, including both the EV driver and the charge point host, is displaying an ever-increasing thirst for immediate, real time and accurate charge point data, such as charging activity, charging costs, power consumption, availability, etc. In addition, the EV driver has a desire to interact with the charging point via a number of methods including mobile phone and other web enabled devices, RFID card and similar.


Rolec manufacture and supply a number of independent SMART charging solutions which offer these features - including EV Charge.Online, GroupManager EV and HomeSmart EV. These independent SMART charging solutions have been merged within the UltraSMART EV intelligent SMART technology platform, enabling Rolec to offer customers a variety of comprehensive integrated EV charging solutions and services - managed from a single SMART platform.

UltraSMART EV can provide and manage a dynamic, extensive and fully integrated EV charging network covering all aspects of electric vehicle charging, including SMART charging for the home, the workplace and in public locations. It enables customers to design, implement and operate their own bespoke charging network and deploy all aspects of EV charging within a tailor-made management solution.

Just choose the type of charging point(s) from the Rolec range which suit the intended location/environment, and the type of operating system for the charging points (such as EV Charge.Online (mobile phone), GroupManager EV (RFID cards), HomeSmart EV (GPRS connectivity), etc.). These choices form the basis of the charging network, which is then entirely tailored, operated and managed by UltraSMART EV - which can incorporate a range of other impressive features, including Battery Storage Integration, Third Party Connectivity, DC Rapid Charge Integration, Maintenance Reporting, Electric Load Management, etc.

CONNECTING THE **EV** INDUSTRY TO THE **SMART** WORLD

vodafone's chosen
global strategic partner
in the EV industry



- The People's Open Charging Network**
- No Driver Annual Membership Fees
 - No Driver Monthly Subscription Fees
 - No Driver Connection Fees
 - No Host Licence Fees



DC ULTRAFAST RAPID:EV CHARGERS
Available in 25kW, 50kW, 100kW, 125kW & 150kW

THE **ROLEC EV** RANGE



AC FAST:EV CHARGERS
Available in 3.6kW, 7.2kW, 11kW (3Ø) & 22kW (3Ø)

THE NEW

PLATINUM

RANGE

The new Platinum Range introduces a superior high quality brand of modular switchgear, kWh meters, time clocks and other similar din-rail mounted electrical components at very competitive prices.

This Platinum Range has been created after extensive travel, investigation, testing and due-diligence in choosing the right high quality components sourced from the most professional and reliable suppliers.

The new Platinum Range includes:

- MCBs
- RCDs
- RCBOs
- Isolators
- kWh meters
- Time clocks
- Contactors



Ideal for:
Caravan hook-ups
EV charging points
Industrial combination boxes
Utility pedestals
Electrical distribution panels & units
Consumer units



THE
PLATINUM
 RANGE

1pole - 1pole + Neutral MCBs

We stock a comprehensive range of din rail mounted MCBs.



PRODUCT CODES

- ACEN0010 – C6amp 1P 1MOD 6KA MCB
- ACEN0040 – C10amp 1P 1MOD 6KA MCB
- ACEN0075 – C16amp 1P 1MOD 6KA MCB
- ACEN0095 – C20amp 1P 1MOD 6KA MCB
- ACEN0100 – C32amp 1P 1MOD 6KA MCB
- ACEN0125 – C40amp 1P 1MOD 6KA MCB
- ACEN0126 – C50amp 1P 1MOD 6KA MCB
- ACEN0130 – C63amp 1P 1MOD 6KA MCB
- ACEN0020 – C6amp 1P+N 1MOD 6KA MCB
- ACEN0050 – C10amp 1P+N 1MOD 6KA MCB
- ACEN0080 – C16amp 1P+N 1MOD 6KA MCB
- ACEN0110 – C32amp 1P+N 1MOD 6KA MCB
- ACEN0140 – C63amp 1P+N 2MOD 6KA MCB

2pole - 4pole MCBs

We hold a massive stock and most items are available on next day delivery.



PRODUCT CODES

- ACEN0030 – C6amp 4P 4MOD 6KA MCB
- ACEN0060 – C10amp 4P 4MOD 6KA MCB
- ACEN0090 – C16amp 4P 4MOD 6KA MCB
- ACEN0120 – C32amp 4P 4MOD 6KA MCB
- ACEN0150 – C63amp 4P 4MOD 6KA MCB
- ACEN0170 – C80amp 2P 3MOD 10KA MCB
- ACEN0180 – C80amp 4P 6MOD 10KA MCB
- ACEN0200 – C100amp 2P 3MOD 10KA MCB
- ACEN0210 – C100amp 4P 6MOD 10KA MCB
- ACEN0220 – C125amp 2P 3MOD 10KA MCB
- ACEN0230 – C125amp 4P 6MOD 10KA MCB
- ACEN0240 – C6amp 2P 2MOD Dual Thermal MCB
- ACEN0250 – C10amp 2P 2MOD Dual Thermal MCB
- ACEN0260 – C16amp 2P 2MOD Dual Thermal MCB
- ACEN0270 – C32amp 2P 2MOD Dual Thermal MCB
- ACEN0280 – C63amp 2P 2MOD Dual Thermal MCB

Hundreds more products available at www.rolcserv.com

THE
PLATINUM
 RANGE

2pole - 4pole RCDs

A high quality range of din rail mounted RCDs.



PRODUCT CODES

- ACEO0020 – 63amp 30mA 2P 2MOD Type A/C RCD
- ACEO0030 – 63amp 30mA 2P 2MOD Type A RCD
- ACEO0040 – 63amp 100mA 2P 2MOD Type A/C RCD
- ACEO0045 – 100amp 30mA 2P 2MOD Type A/C RCD
- ACEO0050 – 100amp 100mA 2P 2MOD Type A/C RCD
- ACEO0055 – 100amp 100mA 2p 2MOD Type A RCD
- ACEO0060 – 100amp 100mA 2P 2MOD Time Delayed Type A/C RCD
- ACEO0070 – 100amp 300mA 2P 2MOD Type A/C RCD
- ACEO0090 – 63amp 30mA 4P 4MOD Type A/C RCD
- ACEO0100 – 63amp 30mA 4P 4MOD Type A RCD
- ACEO0110 – 63amp 100mA 4P 4MOD Type A/C RCD
- ACEO0115 – 100amp 30mA 4P 4MOD Type A/C RCD
- ACEO0120 – 100amp 100mA 4P 4MOD Type A/C RCD
- ACEO0130 – 100amp 100mA 4P 4MOD Time Delayed Type A/C RCD
- ACEO0140 – 100amp 300mA 4P 4MOD Type A/C RCD

2pole RCBOs

We stock a comprehensive range of din rail mounted RCBOs.



PRODUCT CODES

- ACEQ0020 – C6amp 30mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0030 – C6amp 30mA 1P+N 2MOD Type A 6KA RCBO
- ACEQ0040 – C6amp 100mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0060 – C10amp 30mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0070 – C10amp 30mA 1P+N 2MOD Type A 6KA RCBO
- ACEQ0100 – C16amp 30mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0110 – C16amp 30mA 1P+N 2MOD Type A 6KA RCBO
- ACEQ0120 – C16amp 100mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0130 – C20amp 30mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0135 – C20amp 30mA 1P+N 2MOD Type A 10KA RCBO
- ACEQ0150 – C32amp 30mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0160 – C32amp 30mA 1P+N 2MOD Type A 6KA RCBO
- ACEQ0170 – C32amp 100mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0185 – C40amp 30mA 1P+N 2MOD Type A 10KA RCBO
- ACEQ0190 – C40amp 30mA 1P+N 2MOD Type A/C 6KA RCBO
- ACEQ0200 – C63amp 30mA 1P+N 4MOD Type A/C 6KA RCBO

Hundreds more products available at www.rolcserv.com

THE
PLATINUM
 RANGE

4pole RCBOs

Stocks of three phase switchgear readily available.



PRODUCT CODES

- ACER0010 – C6amp 30mA 4P 7MOD Type A/C 6KA RCBO
- ACER0020 – C10amp 30mA 4P 7MOD Type A/C 6KA RCBO
- ACER0030 – C16amp 30mA 4P 7MOD Type A/C 6KA RCBO
- ACER0040 – C16amp 30mA 4P 7MOD Type A 6KA RCBO
- ACER0045 – C20amp 30mA 4P 7MOD Type A 10KA RCBO
- ACER0050 – C32amp 30mA 4P 7MOD Type A/C 6KA RCBO
- ACER0060 – C32amp 30mA 4P 7MOD Type A 6KA RCBO
- ACER0065 – C40amp 30mA 4P 7MOD Type A 10KA RCBO
- ACER0070 – C63amp 30mA 4P 7MOD Type A/C 6KA RCBO
- ACER0080 – C16amp 100mA 4P 7MOD Type A/C 6KA RCBO

Auto Recloser

Din rail mounted module designed to provide a strong continuity of RCBO functionality. 3 times reset facility.



PRODUCT CODES

- ACEQ0210 – Auto Recloser for 2pole RCBO (suitable for ACEQ0185 & ACEQ0135)
- ACEQ0220 – Auto Recloser for 4pole RCBO (suitable for ACER0045 & ACER0065)

THE
PLATINUM
 RANGE

Isolators

We hold a massive stock and most items are available on next day delivery.



PRODUCT CODES

- ACES0010 – 100amp 2P 2MOD Din-Mount Isolator
- ACES0015 – 100amp 3P 3MOD Din-Mount Isolator
- ACES0020 – 100amp 4P 4MOD Din-Mount Isolator

MID Approved Meters

All our din rail mounted meters come with MID certification.



Contactors

Robust and reliable contactors.



PRODUCT CODES

- ACSE0300 – 20A 2P Contactor
- ACSE0310 – 40A 2P Contactor
- ACSE0320 – 20A 4P Contactor
- ACSE0330 – 40A 4P Contactor
- ACSE0340 – 63A 4P Contactor
- ACSE0350 – 100A 4P Contactor
- ACSE0360 – 125A 4P Contactor

PRODUCT CODES

- ACEU0200 – 45amp 1MOD 1phase 1000imp/kWh MID B
- ACEU0220 – 100amp 4MOD 1phase 1000imp/kWh MID B
- ACEU0230 – 100amp 7MOD 3phase 1000imp/kWh MID B
- ACEU0160 – 63amp 1phase Class 1 SmartCard Meter
- ACEU0170 – Blank Reusable SmartCards
- LSAF0180 – SmartCard USB Reader/Writer Software Package

ELECTRICAL HOOK-UPS, DISTRIBUTION SYSTEMS AND EV CHARGING POINTS FOR CARAVAN PARKS

Rolec have manufactured electrical hook-ups and distribution systems for caravan and holiday home parks for over 25 years. As the UK's largest manufacturer of this type of equipment we are able to produce panels and pedestals providing electrical hook-ups, water supplies, LED lighting, TV connections and telephone points.

All our electrical hook-ups can be manufactured with or without kWh meters and are able to supply caravans and residential units in 16amp, 32amp or 63amp formats. They come complete with both fault current and overload protection in the form of either MCB/RCD or RCBO.

Recent introductions to our hook-up range include our new SmartCard metered hook-ups as well as the new PitchSmart web based online metered hook-up units which allow every caravan electrical supply to be easily switched on/off and monitored remotely via the park's office based computer.

We also manufacture a wide range of EV charging points designed to suit the caravan and residential park industry.

Ideal for:
Caravan parks
Camp sites
CL sites
Event areas
Theme parks
Showgrounds



SU1 Static Hook-Up Unit

The SU1 is a hard-wearing, cost effective hook-up unit specifically designed to provide either a 6amp, 10amp, 16amp, or 32amp unmetered electrical supply via a BS4343 IP44 electrical socket to the static caravan.

Each unit comes complete with an RCBO providing both overload and 30mA fault current protection, accessible via a waterproof customer re-set flap, as well as a set of 3 x 35mm incoming cable connection terminals.



PRODUCT CODES

- LSAA0010 – SU1 - 16amp – skt
- LSAA0030 – SU1 - 32amp – skt
- LSAF0060 – 1500mm x 3mm Galv Post

Hundreds more products available at www.rolecserv.com

SU2 Static Hook-Up Unit

The SU2 is a hard-wearing, cost effective hook-up unit specifically designed to provide a MID approved kWh metered electrical supply in 6amp, 10amp, 16amp, or 32amp via a BS4343 IP44 electrical socket to the static caravan (optional SmartCard Metering available).

Each unit comes complete with an RCBO providing both overload and 30mA fault current protection accessible via a waterproof customer re-set flap, as well as a set of 3 x 35mm incoming cable connection terminals.



PRODUCT CODES

- LSAB0010 – SU2 - 16amp – skt – MM
- LSAB0030 – SU2 - 32amp – skt – MM
- LSAB0090 – SU2 - 16amp – skt – SCM
- LSAB0110 – SU2 - 32amp – skt – SCM
- LSAF0060 – 1500mm x 3mm Galv Post – MM Units
- LSAF0070 – 1500mm x 3mm Galv Post – SCM Units

SU2 Smart Metered Hook-Ups

SmartCard metering is Rolec's best-selling and industry leading metering solution and has been specifically designed for the caravan and holiday home park industry. This advanced form of SmartCard metering is the perfect, low cost solution to providing pre-payment electricity metering to both static and touring caravans, as well as residential homes.

Contact us for details of MID approved SmartCard metering, as well as our new computer managed metering system utilising GSM mobile technology.



PRODUCT CODES

- LSAB0090 – SU2F - 16amp – skt – SCM
- LSAB0110 – SU2F - 32amp – skt – SCM
- LSAF0070 – 1500mm x 3mm Galv Post – SCM Units
- ACEU0170 – Blank reusable SmartCard
- LSAF0180 – SmartCard meter software and reader/writer



SU2 PitchSmart Metered Hook-Ups

The new PitchSmart Online electricity, water and gas management system is an innovative, cloud based, web enabled system designed to provide the caravan park operator with full managerial control of their entire park's electricity, water and gas services from a single office based computer.

PitchSmart Online can also manage the services of the park's offices, retail outlets, buildings, street lights, etc. and feed all of this information back to the park's office based computer for invoicing, analysing, etc.



PitchSMART



Hundreds more products available at www.rolecserv.com



TRE (Non-Metered) Touring Hook-Up Units

The TRE range is a selection of hard wearing, cost effective hook-up units specifically designed for use on touring, caravan and camping sites.

These units are available in 2way, 3way or 4way formats providing either 10amp, 16amp or 32amp electrical supplies via BS4343 IP44 electrical sockets.

PRODUCT CODES

- LSAH0030 – TRE – 16amp – skt – 1way
- LSAH0040 – TRE – 16amp – skt – 2way
- LSAH0045 – TRE – 32amp – skt – 2way
- LSAH0050 – TRE – 16amp – skt – 3way
- LSAH0060 – TRE – 16amp – skt – 4way
- LSAF0060 – 1500mm x 3mm Galv Post – 1 & 2way
- LSAF0080 – 1500mm x 3mm Galv Post – 3 & 4way



TRE (Metered) Touring Hook-Up Units

The TRE range of hook-up units can be optionally equipped with MID approved kWh meters which can be visually read through meter viewing windows/flaps located on the front of the units.

PRODUCT CODES

- LSAH0070 – TRE – 16amp – 1way – MM
- LSAH0080 – TRE – 16amp – 2way – MM
- LSAH0090 – TRE – 16amp – 3way – MM
- LSAH0100 – TRE – 16amp – 4way – MM
- LSAF0060 – 1500mm x 3mm Galv Post – 1way
- LSAF0080 – 1500mm x 3mm Galv Post – 2, 3 & 4way



RU1 and RU2 Residential Units (Non-Metered & Metered)

The RU1 is a hard wearing cost effective non-metered connection unit specifically designed to provide 16amp, 32amp or 63amp electrical supplies via its direct connection facility to the residential home.

The RU2 unit is exactly the same as the RU1 unit with the addition of a suitably sized MID approved kWh meter.

Both RU1 and RU2 units come complete with an MCB/RCD providing both overload and 100mA fault current protection accessible via a waterproof customer reset flap.

PRODUCT CODES (Non-Metered)

- LSAG0010 – RU1 – 40amp – gland
- LSAG0020 – RU1 – 63amp – gland
- LSAF0060 – 1500mm x 3mm Galv Post

PRODUCT CODES (Metered)

- LSAG0030 – RU2 – 40amp – gland – MM
- LSAG0040 – RU2 – 63amp – gland – MM
- LSAF0060 – 1500mm x 3mm Galv Post – 40amp Unit
- LSAF0080 – 1500mm x 3mm Galv Post – 63amp Unit

SU2 / EV Hook-Up Unit c/w EV Charging

Presenting a static caravan metered hook-up unit with the addition of an electric vehicle charging socket.

These units include the charging socket, the vehicle communication unit, RCBO protection and MID approved kWh meter for the electric vehicle charging socket, in addition to the RCBO and MID approved kWh meter installed for the caravan hook-up socket.

PRODUCT CODES

- LSEV0010 – 16amp – 1way – 16amp EVCS
- LSEV0020 – 16amp – 1way – 32amp EVCS
- LSEV0110 – 16amp – 1way – MM – 16amp EVCS
- LSEV0120 – 16amp – 1way – MM – 32amp EVCS



WallPod: The Modern Hook-Up Unit

The WallPod Hook-Up Unit is the modern alternative to the traditional grey hook-up box and is able to provide a 16amp or 32amp MID approved kWh metered or unmetered supply via a BS4343 IP44 electrical socket.

Each WallPod comes complete with an RCBO providing both overload and 30mA fault current protection accessible via a waterproof customer re-set flap, as well as a set of 3 x 35mm incoming cable connection terminals.

PRODUCT CODES

- LSWA0010 – 16amp – skt
- LSWA0030 – 32amp – skt
- LSWA0020 – 16amp – skt – MM
- LSWA0040 – 32amp – skt – MM
- LSWA0080 – 1500mm x 3mm Galv Post



Classic Hook-Up Bollard

This Touring Hook-Up Bollard is the world's most popular utility bollard with now well over 150,000 sold globally. It is specifically designed for use on touring caravan and camping sites.

Each bollard comes complete with an RCBO per socket, providing both overload and 30mA fault current protection, accessible via a waterproof customer re-set flap, as well as a set of 3 x 35mm incoming cable connection terminals.

PRODUCT CODES

- LSAI0010 – 16amp – skt – 1way
- LSAI0020 – 16amp – skt – 2way
- LSAI0030 – 16amp – skt – 3way
- LSAI0040 – 16amp – skt – 4way
- LSAK0030 – To add LED Lighting
- LSAK0140 – To add a Mini-Meter
- LSAK0040 – To add a Water Tap
- GMCP0010 – Galv Ground Base



Quantum Hook-Up Bollard

This exciting new and stylish range of anodised aluminium hook-up bollards adds a modern approach to our caravan park touring hook-up range whilst maintaining the same versatility and diversity that our original Classic range offers. The Quantum is a robust and attractive utility bollard offering electrical hook-ups, LED lighting, optional water tap, and various colour and branding options.

PRODUCT CODES

- MAQR0210 – 16amp – skt – 1way
- MAQR0220 – 16amp – skt – 2way
- MAQR0230 – 16amp – skt – 3way
- MAQR0240 – 16amp – skt – 4way
- MAQR1000 – To add LED Lighting
- MAFA0190 – To add a Mini-Meter
- MAFA0290 – To add a Water Tap
- GMQR0010 – Galv Ground Base



Classic Hook-Up Bollard - SmartCard Metered

Our most popular Classic service bollard range also comes populated with our most popular metering range – MID approved SmartCard meters.

PRODUCT CODES

- LSAI0011 – mm, 1 x 16amp socket, 1 x RCBO, 1 x MID SmartCard meter
- LSAI0021 – mm, 2 x 16amp socket, 2 x RCBO, 2 x MID SmartCard meter
- LSAI0031 – mm, 3 x 16amp socket, 3 x RCBO, 3 x MID SmartCard meter
- LSAI0041 – mm, 4 x 16amp socket, 4 x RCBO, 4 x MID SmartCard meter
- ACEU0170 – Blank reusable SmartCard
- LSAF0180 – SmartCard meter software and reader/writer



Classic Bollard and Quantum Bollard Ground Mounting Bases

Rolec's low cost root mounting bases are manufactured from steel, with a hot dipped galvanised steel finish. They provide the ideal solution for the strong mounting of Rolec's Classic and Quantum bollards.

PRODUCT CODES

- GMCP0010 – Classic Standard Galvanised Steel Ground Mounting Base
- GMQR0010 – Quantum Galvanised Steel Ground Mounting Base

Mounting Base with Waste Tray

Rolec's galvanised steel ground-level mounting base water and sanitation waste trays have been designed to offer an economical and efficient compliment to bollards on caravan parks.

PRODUCT CODE

- LSAK0310 – 1 x ST5 Waste Tray inc. Bollard Mounting Base



Classic Hook-Up Bollard c/w EV Charging Socket

Presenting the Classic touring hook-up bollard with the addition of an electric vehicle charging socket. These units include the charging socket, the vehicle communication unit and RCBO protection for the electric vehicle charging socket, in addition to the usual sockets and RCBOs installed for the touring hook-ups.



PRODUCT CODES

- LSEV0210 Pedestal – 16amp – Skt – 1way – 16amp EVCS
- LSEV0220 Pedestal – 16amp – Skt – 1way – 32amp EVCS
- LSEV0230 Pedestal – 16amp – Skt – 2way – 16amp EVCS
- LSEV0240 Pedestal – 16amp – Skt – 2way – 32amp EVCS
- LSEV0310 Pedestal – 16amp – Skt – 1way – MM – 16amp EVCS
- LSEV0320 Pedestal – 16amp – Skt – 1way – MM – 32amp EVCS
- LSEV0330 Pedestal – 16amp – Skt – 2way – MM – 16amp EVCS
- LSEV0340 Pedestal – 16amp – Skt – 2way – MM – 32amp EVCS

Electrical Mains & Distribution Units

Rolec designs and manufactures a wide range of electrical mains panels and distribution units to suit your individual requirements and electrical systems.

These panels and units come complete with built-in switchgear, cable terminals and, where required, metering and street light operating photocells.



PRODUCT CODES

- DUAD0790 004 – GM Pillar and Shroud
- DUAD0800 005 – GM Pillar and Shroud
- DUAD0801 006 – GM Pillar and Shroud
- STDU0010 004 – 100A 4P Isolator – 3 x 63amp 1P MCBs
- STDU0020 004 – 100A 4P Isolator – 6 x 63amp 1P MCBs
- STDU0030 004 – 125A 4P Isolator – 9 x 63amp 1P MCBs
- STDU0040 005 – 100A 4P Isolator – 3 x 63amp 1P MCBs
- STDU0050 005 – 100A 4P Isolator – 6 x 63amp 1P MCBs
- STDU0060 005 – 125A 4P Isolator – 9 x 63amp 1P MCBs
- STDU0070 005 – 160A 4P Isolator – 12 x 63amp 1P MCBs
- STDU0080 006 – 100A 4P Isolator – 6 x 63amp 1P MCBs

- STDU0090 006 – 125A 4P Isolator – 9 x 63amp 1P MCBs
- STDU0100 006 – 160A 4P Isolator – 12 x 63amp 1P MCBs
- STDU0110 006 – 200A 4P Isolator – 15 x 63amp 1P MCBs

We are able to manufacture these bespoke panels and units to your specification.

Hundreds more products available at www.rolec.com

LED Street Lighting

Rolec offer a variety of high level street lighting solutions and combinations.

Each column comes with a street light door key.

PRODUCT CODES

- LGAA0140 – 5 metre Root Mounted Galvanised Steel Street Light Column c/w Access Door
- LGAA0360 – 5 metre Root Mounted Galvanised Steel Street Light Column c/w Access Door, 34watt LED Lighting Head and cut-out package
- LGAA0160 – 70W SON Post Mount Large Canopy Osprey Head Opal Street Light Head c/w Lamp and Photocell
- LGAA0170 – 70W SON Post Mount Eco-sphere Street Light Head c/w Lamp
- LGAA0280 – Gino 400 42watt LED Lighting Head c/w 60mm to 76mm Adaptor
- LGAA0290 – Gino 500 63watt LED Lighting Head c/w 60mm to 76mm Adaptor
- LGAA0300 – Remo 400 42watt LED Lighting Head c/w 60mm to 76mm Adaptor
- LGAA0310 – Remo 500 63watt LED Lighting Head c/w 60mm to 76mm Adaptor



Sauro LED Light

Our low level Sauro LED light features a 10W energy efficient LED lamp with a 20,000 hour life expectancy, housed within a shockproof, UV resistant, resin construction.

PRODUCT CODES

- LGAA0350 – 1100mm 10watt LED Sauro Light
- GMPL0010 – Galvanised Steel Ground Mounting Base for Sauro Light



Hundreds more products available at www.rolec.com

PLUGS, COUPLERS, SOCKETS & INLETS

Rolec can provide a comprehensive range of plugs, couplers, sockets and inlets – all at competitive prices.

With well over 1,000,000 electrical components in stock, Rolec hold some of the UK's largest supplies of IP44 and IP67 industrial plugs, couplers, sockets and inlets in 110V, 230V and 400V options.

Rolec also manufactures and supplies electrical hook-up leads, adaptors, electrical enclosures, cable terminals, etc.



Ideal for:
Enclosure mounting
Caravan hook-ups
Utility pedestals
Combination units
Consumer units



Plugs

A comprehensive range of plugs at very competitive prices.



PRODUCT CODES

- ACEB0060 – 16amp 230V IP67 Plug
- ACEB0070 – 16amp 400V IP67 Plug
- ACEB0130 – 32amp 230V IP67 Plug
- ACEB0140 – 32amp 400V IP67 Plug
- ACEB0150 – 63amp 230V IP44 Plug
- ACEB0160 – 63amp 400V IP44 Plug
- ACEB0170 – 63amp 230V IP67 Plug
- ACEB0180 – 63amp 400V IP67 Plug
- ACEB0190 – 125amp 230V IP44 Plug
- ACEB0200 – 125amp 400V IP44 Plug
- ACEB0210 – 125amp 230V IP67 Plug
- ACEB0220 – 125amp 400V IP67 Plug

Couplers

We hold massive stocks and most items are available for next day delivery.



PRODUCT CODES

- ACEC0050 – 16amp 230V IP67 Coupler
- ACEC0060 – 16amp 400V IP67 Coupler
- ACEC0110 – 32amp 230V IP67 Coupler
- ACEC0120 – 32amp 400V IP67 Coupler
- ACEC0130 – 63amp 230V IP44 Coupler
- ACEC0140 – 63amp 400V IP44 Coupler
- ACEC0150 – 63amp 230V IP67 Coupler
- ACEC0160 – 63amp 400V IP67 Coupler
- ACEC0170 – 125amp 230V IP44 Coupler
- ACEC0180 – 125amp 400V IP44 Coupler
- ACEC0190 – 125amp 230V IP67 Coupler
- ACEC0200 – 125amp 400V IP67 Coupler

110Volt Sockets



PRODUCT CODES

- ACEA0010 – 16amp 110V IP44 Angled Panel Socket
- ACEA0050 – 16amp 110V IP67 Angled Panel Socket
- ACEA0080 – 32amp 110V IP44 Angled Panel Socket
- ACEA0120 – 32amp 110V IP67 Angled Panel Socket

Angled Panel Sockets

Industrial IP44 and IP67 panel sockets.



PRODUCT CODES

- ACEA0020 – 16amp 230V IP44 Angled Panel Socket
- ACEA0030 – 16amp 230V IP44 Lockable Angled Panel Skt
- ACEA0040 – 16amp 400V IP44 Angled Panel Socket
- ACEA0060 – 16amp 230V IP67 Angled Panel Socket
- ACEA0070 – 16amp 400V IP67 Angled Panel Socket
- ACEA0090 – 32amp 230V IP44 Angled Panel Socket
- ACEA0100 – 32amp 230V IP44 Lockable Angled Panel Skt
- ACEA0110 – 32amp 400V IP44 Angled Panel Socket
- ACEA0120 – 32amp 110V IP67 Angled Panel Socket
- ACEA0140 – 32amp 400V IP67 Angled Panel Socket
- ACEA0160 – 63amp 400V IP44 Angled Panel Socket
- ACEA0180 – 63amp 400V IP67 Angled Panel Socket
- ACEA0210 – 125amp 230V IP67 Angled Panel Socket
- ACEA0220 – 125amp 400V IP67 Angled Panel Socket

Surface Mount Inlets

Industrial IP44 and IP67 surface mount inlets. Straight panel inlets and surface mount outlets are also available.



PRODUCT CODES

- ACED0170 – 16amp 230V IP44 Surface Mount Inlet
- ACED0180 – 16amp 400V IP44 Surface Mount Inlet
- ACED0220 – 32amp 400V IP44 Surface Mount Inlet
- ACED0240 – 32amp 400V IP67 Surface Mount Inlet
- ACED0250 – 63amp 230V IP44 Surface Mount Inlet
- ACED0270 – 63amp 230V IP67 Surface Mount Inlet
- ACED0280 – 63amp 400V IP67 Surface Mount Inlet
- ACED0290 – 125amp 230V IP44 Surface Mount Inlet
- ACED0310 – 125amp 230V IP67 Surface Mount Inlet
- ACED0320 – 125amp 400V IP67 Surface Mount Inlet

230Volt & 110Volt Y Adaptors



PRODUCT CODES

- ACEM0010 – 16amp 110V IP44 Plug to 3 x 16amp 110V IP44 Coupler Y Adaptor
- ACEM0011 – 16amp 110V IP44 Plug to 2 x 16amp 110V IP44 Coupler Y Adaptor
- ACEM0020 – 16amp 230V IP44 Plug to 3 x 16amp 230V IP44 Coupler Y Adaptor
- ACEM0021 – 16amp 230V IP44 Plug to 2 x 16amp 230V IP44 Coupler Y Adaptor

TEMPORARY & PERMANENT OUTDOOR POWER SOLUTIONS

Rolec can manufacture a bespoke product to suit all of your outdoor power requirements.

Rolec manufacture and supply a huge range of panels, cubes, pedestals and street posts for the permanent and temporary electrical installation industries.

With many hundreds of thousands of outdoor electrical supply units already in service throughout the world, Rolec is well placed to deliver on all your electrical distributional requirements.

Ideal for:
Town centres
Events
Car parks
Warehouses
Showrooms
Hotels
Boatyards



400V Combination Units

IP44 and IP65 GRP industrial combination units manufactured to suit your exact requirements.

230V & 400V Combination Units

All units come pre-wired with either combined or individual fault current and/or overload protection.

“We will not be beaten on price”



PRODUCT CODES

- PSBC0120 – 2 x 32amp 3P skts – 1 x RCD
- PSBD0120 – 2 x 32amp 3P skts – 1 x RCD – 2 x MCBs
- PSBB0140 – 1 x 16amp 3P skt – 1 x RCD – 1 x MCB
- PSBB0150 – 1 x 32amp 3P skt – 1 x RCD – 1 x MCB
- PSBB0160 – 1 x 63amp 3P skt – 1 x RCD – 1 x MCB

PRODUCT CODES

- PSBJ0200 – 4 x 32amp – 2 x 32amp 3P skts – 3 x RCDs
- PSBJ0010 – 1 x 16amp 3P skt – 1 x 16amp skt – 1 x 4Pole RCD – 2 x MCBs
- PSBJ0060 – 1 x 32amp 3P skt – 1 x 32amp skt – 1 x 4Pole RCD – 2 x MCBs
- PSBJ0070 – 1 x 16amp 3P skt – 2 x 16amp skts – 1 x 4Pole RCD – 3 x MCBs

Hundreds more products available at www.rolecserv.com

110V Combination Units

Lowest cost units. Reliable product range with large stocks held.

Combination Units

Hundreds of variations available. Contact us with your specification.

“We will not be beaten on price”



PRODUCT CODES

- PSBE0050 – 3 X 16amp skts – 1 x RCD
- PSBF0050 – 3 X 16amp skts – 1 x RCD – 3 x MCBs
- PSBC0080 – 2 x 32amp 110V skts – 1 x RCD
- PSBD0070 – 2 x 16amp 110V skts – 1 x RCD – 2 x MCBs
- PSBD0080 – 2 x 32amp 110V skts – 1 x RCD – 2 x MCBs

PRODUCT CODES

- PSBG0040 – 4 x 32amp skts – 1 x RCD
- PSBH0040 – 4 x 32amp skts – 1 x RCD – 4 x MCBs
- PSBH0030 – 4 x 16amp skts – 1 x RCD – 4 x MCBs
- PSBG0030 – 4 x 16amp skts – 1 x RCD

Hundreds more products available at www.rolecserv.com

Classic Pedestals

The Rolec Classic utility pedestal is the world's most popular utility pedestal having been in service for 25 years, with well over 150,000 sold worldwide, providing vital utilities to marinas, boatyards, caravan sites, car parks, railways, sports stadiums, etc.

"We manufacture to your individual requirements"



PRODUCT CODES

- LSAI0010 – 1000mm – 1 x 16amp IP44 230V Skt – 1 x 16amp 30mA RCBO
- LSAI0020 – 1000mm – 2 x 16amp IP44 230V Skts – 2 x 16amp 30mA RCBOs
- LSAI0030 – 1000mm – 3 x 16amp IP44 230V Skts – 3 x 16amp 30mA RCBOs
- LSAI0040 – 1000mm – 4 x 16amp IP44 230V Skts – 4 x 16amp 30mA RCBOs
- GMCP0010 – Classic Pedestal Standard Galvanised Steel Ground Mounting Base

Classic Midi Pedestals

The internal galvanised steel chassis makes the Classic utility pedestal extremely strong, and its endless service configurations make it massively versatile.



PRODUCT CODES

- PSED0010 – Classic Midi - 2 x 63amp 400V Skts, 2 x 63amp 230V Skts – 2 x 63amp 4Pole RCDs, 2 x 63amp 4Pole MCBs, 2 x 63amp 1Pole MCBs – Illumination
- PSED0020 – Classic Midi – 1 x 63amp 400V Skt, 3 x 63amp 230V Skts – 4 x RJ45 Data Skts – 2 x ½" Water Taps – 1 x 63amp 4Pole RCD, 1 x 63amp 4Pole MCB, 3 x 1 Pole MCBs, 1 x 100amp 4Pole Isolator – Illumination
- PSED0030 – Classic Midi – 2 x 32amp 400V skts, 1 x 13amp 230V Skt Pod – 1 x 63amp 4Pole RCD, 2 x 32amp 4Pole MCBs, 2 x 10amp 2P 30mA RCBOs – Illumination
- GMCP0020 – Classic Pedestal Midi Galvanised Steel Ground Mounting Base

Hundreds more products available at www.rolecserve.com

StreetServ

A heavy-duty, hard-wearing street post that offers lockaway electrical connections.

This round top column has a gloss finish.

Ideal for market places, town centres, car parks, etc.



PRODUCT CODES

- PSAA0160 – Round Top, 1 x 16amp IP44 230V Skt, 1 x 63amp RCD, 1 x 16amp MCB
- PSAA0190 – Round Top, 2 x 16amp IP44 230V Skts, 1 x 63amp RCD, 2 x 16amp MCBs
- PSAA0220 – Round Top, 3 x 16amp IP44 230V Skts, 1 x 63amp RCD, 3 x 16amp MCBs

PowerMaster

Underground pop-up electrical supplies. Electrical supplies are provided from an IP55 enclosure, which can be discreetly placed away in a drive-over capable galvanised housing when not in use.

All units come with individual socket overload protection and either individual or grouped fault current protection. They are ideal for market places, car parks, etc.



PRODUCT CODES

- PSCA0010 – 1 x 16amp IP44 230V Skt, 1 x 63amp RCD, 1 x 16amp MCB, 2mtr x 2.5mm 3 Core Lead
- PSCA0030 – 2 x 16amp IP44 230V Skts, 1 x 63amp RCD, 2 x 16amp MCBs, 3mtr x 4mm 3 Core Lead
- PSCA0050 – 3 x 16amp IP44 230V Skts, 1 x 63amp RCD, 3 x 16amp MCBs, 2mtr x 6mm 3 Core Lead
- PSCA0070 – 4 x 16amp IP44 230V Skts, 1 x 63amp RCD, 4 x 16amp MCBs, 2mtr x 10mm 3 Core Lead

Hundreds more products available at www.rolecserve.com

The WallPod HomeServ Range

OFFERING ELECTRIC, WATER & EV CHARGING OUTDOORS

The WallPod HomeServ range has been designed to provide safe outdoor electricity and water supplies to the home.



WallPod HomeServ No.1

The WallPod HomeServ No.1 features full internal electric/water segregation, a 13amp domestic socket, and 1/2" brass bib tap complete with hose tail.

PRODUCT CODE

- WPCO0010 – 13amp Socket Pod, 1/2" Water Tap Pod

WallPod HomeServ No.2

Featuring a 10amp RCBO and 13amp socket within the same unit, the WallPod HomeServ No. 2 has been specially designed to provide safe outdoor electricity to the home.

PRODUCT CODE

- WPCO0020 - 10amp RCBO Pod, 13amp Socket Pod

WallPod HomeServ No.3

Designed to specifically provide safe outdoor electricity supplies to the home. It features 2x13amp domestic sockets, which are protected by IP65 rated access doors.

PRODUCT CODE

- WPCO0100 - 13amp Socket Pod, 13amp Socket Pod

CubiServ Mini

Ideal for construction work, the CubiServ Mini is lightweight yet robust.



PRODUCT CODES

- PSMC0020 – 1 x 32amp 230V Plug with 2mtr lead, 4 x 16amp 230V sockets and MCBs
- PSMC0030 – 1 x 63amp 400V Plug with 2mtr lead, 2 x 32amp 400V sockets and MCBs
- PSMC0050 – 1 x 63amp 230V Plug with 2mtr lead, 2 x 32amp 230V sockets and MCBs
- PSMC0100 – 1 x 32amp 230V Inlet, 4x16amp 230V sockets and MCBs

Hundreds more products available at www.rolcserv.com

CubiServ

CubiServ has been designed to provide unlimited electrical supplies and hook-up combinations in a hard-wearing portable cube format.

Each can provide varying socket inlet and outlet combinations, including protective switchgear and safety reset flaps.

- Front panel colour options
- EV charging socket versions
- We can also provide hook-up leads



PRODUCT CODES

- PSCS0010 – Type 1, 1 x 32amp 400V IP44 Plug Inlet, 3mtr 4mm 5Core Lead, 6 x 16amp 230V IP44 Skts, 6 x 16amp 1Pole MCBs
- PSCS0020 – Type 2, 1 x 63amp 400V IP44 Plug Inlet, 3mtr 10mm 5Core Lead, 3 x 63amp 230V IP44 Skts, 3 x 63amp 1Pole MCBs
- PSCS0030 – Type 1, 1 x 125amp 400V IP44 Plug Inlet, 3mtr 25mm 5Core Lead, 2x63amp 400V IP44 Skts, 2 x 63amp 4Pole MCBs
- PSCS0040 – Type 2, 1 x 63amp 400v IP67 Inlet, 3 x 63amp 230V IP44 Skts, 3 x 63amp 1Pole MCBs
- PSCS0050 – Type 2, 1 x 125amp 400V IP67 Inlet, 2 x 63amp 400V IP44 Skts, 2 x 63amp 4Pole MCBs
- PSCS0060 – Type 2, 1 x 63amp 400V IP67 Inlet, 6 x 16amp 230V IP44 Skts, 6 x 16amp 1Pole MCBs
- PSCS0070 – Type 2, 1 x 63amp 230V IP67 Inlet, 8 x 16amp 230V IP44 Skts, 1 x 63amp 2Pole RCD, 8 x 16amp 1Pole MCBs
- PSCS0080 – Type 2, 1 x 125amp 400V IP67 Inlet, 4 x 32amp 400V IP44 Skts, 4 x 32amp 4Pole MCBs
- PSCS0090 – Type 2, 1 x 63amp 230V IP67 Inlet, 3 x 32amp 230V IP44 Skt, 7 x 16amp 230V IP44 Skts, 1 x 63amp 2Pole RCD, 3 x 32amp 1Pole MCBs, 7 x 16amp 1Pole MCBs

PRODUCT CODES

- PSCS0100 – Type 3, 1 x 63amp 400V IP67 Inlet, 6 x 32amp 230V IP44 Skts, 6 x 16amp 230V IP44 Skts, 1 x 63amp 4Pole RCD, 6 x 32amp 1Pole MCBs, 6 x 16amp 1Pole MCBs
- PSCS0110 – Type 3, 1 x 125amp 400V IP67 Inlet, 1 x 32amp 400V IP44 Skts, 3 x 63amp 230V IP44 Skts, 3 x 16amp 230V IP44 Skts, 1 x 125amp 4Pole RCD, 1 x 32amp 4Pole MCB, 3 x 63amp 1Pole MCBs, 3 x 16amp 1Pole MCBs
- PSCS0120 – Type 3, 1 x 63amp 400V IP67 Inlet, 3 x 32amp 230V IP44 Skts, 9 x 16amp 230V IP44 Skts, 3 x 32amp 1Pole MCBs, 9 x 16amp 1Pole MCBs



CubiServ - Bespoke

Larger, bespoke versions are available to suit your exact requirements.

"We manufacture to your individual requirements"

Hundreds more products available at www.rolcserv.com

MARINA UTILITY PRODUCTS

World leaders in the design and manufacture of marina service pedestals and products.

Rolec has been manufacturing marina service pedestals and associated products for over 25 years and is considered to be the world's leading specialist in the marina services industry.

As well as the manufacture of marina service pedestals we also manufacture emergency service equipment, sanitation pump out systems and pontoon lighting.

Contact us for our dedicated marina services catalogue.

Ideal for:
Marinas
Canals
Boatyards
Ports
Coastguard HQs
Fishing lakes
MOD facilities



Classic Pedestal

The Rolec Classic pedestal is the world's most popular marina service pedestal, having been in service for 25 years. An internal heavy-duty, hot dipped galvanised steel chassis makes the Classic pedestal extremely strong, whilst the choice of external skins, available in stainless steel, aluminium, Foamex, or composite, make the pedestal durable and easily maintained.

The Classic pedestal is available in a variety of sizes, offering optional LED lighting and limitless electric, water, TV, data and metering service combinations. SOS pedestals are available in the Classic range.



PRODUCT CODES

- MACA0010 – 750mm, 1 x 16amp socket, 1 x RCBO
- MACA0020 – 750mm, 2 x 16amp sockets, 2 x RCBOs, isolator
- MACA0030 – 750mm, 3 x 16amp sockets, 3 x RCBOs, isolator
- MACA0040 – 750mm, 4 x 16amp sockets, 4 x RCBOs, isolator
- MACA0012 – 750mm, 1 x 16amp socket, 1 x RCBO, 1 x MID kWh meter
- MACA0022 – 750mm, 2 x 16amp sockets, 2 x RCBOs, isolator, 2 x MID kWh meters
- MACA0032 – 750mm, 3 x 16amp sockets, 3 x RCBOs, isolator, 3 x MID kWh meters
- MACA0042 – 750mm, 4 x 16amp sockets, 4 x RCBOs, isolator, 4 x MID kWh meters
- MACA0011 – 750mm, 1 x 16amp socket, 1 x RCBO, 1 x MID SmartCard meter
- MACA0021 – 750mm, 2 x 16amp sockets, 2 x RCBOs, isolator, 2 x MID SmartCard meters
- MACA0031 – 750mm, 3 x 16amp sockets, 3 x RCBOs, isolator, 3 x MID SmartCard meters
- MACA0041 – 750mm, 4 x 16amp sockets, 4 x RCBOs, isolator, 4 x MID SmartCard meters
- MAFA0030 – To add LED Lighting

The Classic pedestal range can also come with either MID approved, Class 1 accurate, 1 modular kWh meters, or SmartCard meters.

Quantum Pedestal

This exciting new range of anodised aluminium pedestal brings a modernisation to our range whilst maintaining the same versatility to our pedestals that the Classic range delivers.

This range can provide entry level services from 16amp single phase inland marina supplies up to international superyacht supplies of 250amp three phase. It is able to accommodate services on all four sides, comes in an array of colours and sizes, and really does offer every level of solution.



PRODUCT CODES

- MAQR0210 – 1000mm - 1 x 16amp IP44 230V Skt, 1 x 16amp 30mA RCBO
- MAQR0220 – 1000mm - 2 x 16amp IP44 230V Skts, 2 x 16amp 30mA RCBOs, 1 x 100amp 2Pole Isolator (Internally Mounted)
- MAQR0230 – 1000mm - 3 x 16amp IP44 230V Skts, 3 x 16amp 30mA RCBOs, 1 x 100amp 2Pole Isolator (Internally Mounted)
- MAQR0240 – 1000mm - 4 x 16amp IP44 230V Skts, 4 x 16amp 30mA RCBOs, 1 x 100amp 2Pole Isolator (Internally Mounted)
- MAQR0212 – 1000mm, 1 x 16amp IP44 230V Skt, 1 x RCBO, 1 x MID kWh meter
- MAQR0222 – 1000mm, 2 x 16amp IP44 230V Skts, 2 x RCBOs, isolator, 2 x MID kWh meters
- MAQR0232 – 1000mm, 3 x 16amp IP44 230V Skts, 3 x RCBOs, isolator, 3 x MID kWh meters
- MAQR0242 – 1000mm, 4 x 16amp IP44 230V Skts, 4 x RCBOs, isolator, 4 x MID kWh meters
- MAQR0211 – 1000mm, 1 x 16amp IP44 230V Skt, 1 x RCBO, 1 x MID SmartCard meter
- MAQR0221 – 1000mm, 2 x 16amp IP44 230V Skts, 2 x RCBOs, isolator, 2 x MID SmartCard meters
- MAQR0231 – 1000mm, 3 x 16amp IP44 230V Skts, 3 x RCBOs, isolator, 3 x MID SmartCard meters
- MAQR0241 – 1000mm, 4 x 16amp IP44 230V Skts, 4 x RCBOs, isolator, 4 x MID SmartCard meters
- MAQR1000 – To add LED Lighting

The Quantum pedestal range can also come with either MID approved, Class 1 accurate, 1 modular kWh meters, or SmartCard meters.

Low Level Emergency Service Station

A cost-effective solution for providing vital life-saving equipment, our low level emergency unit comprises of a housing, stand, life buoy with 10m of floating throwing rope, first aid kit and 6kg dry powder fire extinguisher.



PRODUCT CODE

- EEAC0030 – Economy emergency station, galvanised stand, 6kg fire extinguisher, first aid kit, life buoy, floating throwing rope

Quantum SOS Pedestal

In addition to a life buoy with 10m of floating throwing rope, first aid kit and 6kg dry powder fire extinguisher, these pedestals can also offer optional illumination, and optional alarms and beacons.



PRODUCT CODES

- EEQR0010 – 1000mm - c/w 6kg dry powder fire extinguisher / first aid kit / illumination
- EEQR0020 – 1000mm - c/w 6kg dry powder fire extinguisher / 30" life buoy / 10mtr floating throwing rope / first aid kit / illumination
- EEQR0030 – 1000mm - c/w 6kg dry powder fire extinguisher / 30" life buoy / rope throwing holster including 30mtr x 10mm floating throwing rope / first aid kit / illumination

Combi Lighting

Our 316 grade polished stainless steel LED combi deck lights with two directional lighting are hugely popular and effectively used as subtle access bridge and deck lighting.



PRODUCT CODES

- LGAB0010 – 4way Combi LED Deck Lighting Kit
- LGAB0020 – 6way Combi LED Deck Lighting Kit
- LGAB0030 – 8way Combi LED Deck Lighting Kit
- LGAB0040 – 10way Combi LED Deck Lighting Kit

Self-Contained Sanitation Pump-Out Unit

Our self-contained sanitation pump-out unit is the most economical pump-out station available. Bilge versions also available.



PRODUCT CODES

- MANA0010 – RS100 Pump-Out Pedestal, Stop/Start Operation – Sanitation
- MANA0020 – RS100 Pump-Out Pedestal, Stop/Start Key Switch Operation – Sanitation
- MANA0030 – RS100 Pump-Out Pedestal, Stop/Start, Coin/Token Operation – Sanitation



Mains and Distribution Units

Our cost-effective electrical shore isolation panels and distribution units are manufactured on a project by project basis to suit your exact requirements and are available in GRP and stainless steel.

We manufacture distribution panels/units from simple 63amp single phase versions, through to 1600amps three phase units.

All our panels/units can come with optional galvanised steel stand and cable covering shroud.

PRODUCT CODES

- STDU0010 004 - 100A 4P Isolator - 3 x 63amp 1P MCBs
- STDU0020 004 - 100A 4P Isolator - 6 x 63amp 1P MCBs
- STDU0030 004 - 125A 4P Isolator - 9 x 63amp 1P MCBs
- STDU0040 005 - 100A 4P Isolator - 3 x 63amp 1P MCBs
- DUAD0790 004 - GM Pillar and Shroud
- DUAD0800 005 - GM Pillar and Shroud
- DUAD0810 006 - GM Pillar and Shroud

Water Stands

Low cost galvanised steel water stands providing ½” water tap complete with anti-contamination valve and 30metres of food quality hose pipe.



PRODUCT CODE

- MANF0020 – Galvanised Steel Water Stand with Hose Hook - 1 x Water Tap – 30m Pipe

Hundreds more products available at www.rolecserv.com

Roline Unit

Our Roline Units are powder-coated aluminium units able to provide low level sockets, metering and illumination - ideal for pontoons wanting to keep services implementation to a minimum.



PRODUCT CODE

- MAK0010 – Roline – 2 x 16amp 230V IP44 Socket / 2 x 16amp 30mA RCBO / 1 x 100amp 2Pole Isolator (Internally Mounted)

LeadMaster

LeadMaster is a 230V ship-to-shore metered connection lead.

Available in 16amp and 32amp variants.



DeckClear Unit

Our DeckClear range has been designed to allow electrical and water outlets to be concealed below the decking in either single or dual units.



PRODUCT CODE

- MALA0010 – DeckClear – 1 x 16amp 230V IP67 Socket / 304 Stainless Steel inc. Lock and Key

PRODUCT CODES

- ACEL0020 – 16amp 230V 2.5mm 10metre
- ACEL0030 – 16amp 230V 2.5mm 15metre
- ACEL0040 – 16amp 230V 2.5mm 20metre
- ACEL0050 – 16amp 230V 2.5mm 25metre
- ACEL0070 – 32amp 230V 4.0mm 10metre
- ACEL0080 – 32amp 230V 4.0mm 15metre
- ACEL0090 – 32amp 230V 4.0mm 20metre
- ACEL0100 – 32amp 230V 4.0mm 25metre

Hundreds more products available at www.rolecserv.com

OUTDOOR UTILITY PRODUCTS FOR THE ELECTRICAL CONTRACTING INDUSTRY



ROLEC

t: +44 (0) 1205 724754
e: rolec@rolecserv.co.uk

www.rolecserv.com